KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-83BE07

Client: TriVial BioWorks **Certified:** 09/19/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	TriVial-3R	**Form**	Lyophilized Powder
Batch	RT20-0917	**Labeled Qty**	20 mg
Cap Color	White	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.722% ✓
Batch Avg Net Content	(~20mg)	20.16 mg ✓
Identity Confirmation (LC-MS)	(TriVial-3R)	TriVial-3R ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.703	20.04
Vial 2	99.741	20.28
Batch Average	**99.722%**	**20.16 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-83BE07
Access Code: QLAK314