KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-D9B6FD

Client: TriVial BioWorks **Certified:** 04/22/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	VIP	**Form**	Lyophilized Powder
Batch	VP5-0413	**Labeled Qty**	5 mg
Mol. Formula	C147H237N43O43S	**CAS Number**	40077-57-4
Cap Color	Yellow	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.931% ✓
Batch Avg Net Content	(5mg ± 10%)	5.90 mg ✓
Identity Confirmation (LC-MS)	(VIP)	VIP ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.919	5.92
Vial 2	99.887	5.93
Vial 3	99.988	5.86
Batch Average	**99.931%**	**5.90 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-D9B6FD
Access Code: 4QCRMV6