KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-8736DF

Client: TriVial BioWorks **Certified:** 09/19/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	NAD+	**Form**	Lyophilized Powder
Batch	N500-0917	**Labeled Qty**	500 mg
Cap Color	Blue	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.501% ✓
Batch Avg Net Content	(~500mg)	493.57 mg ✓
Identity Confirmation (LC-MS)	(NAD+)	NAD+ ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.653	490.22
Vial 2	99.348	496.91
Batch Average	**99.501%**	**493.57 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 260 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-8736DF
Access Code: VZ2RNC7